
TRUPEDAL BY STILLEN



TRUPEDAL THROTTLE CONTROLLER

USER GUIDE: INSTALLATION & OPERATION INSTRUCTIONS

CONTENT

QUICK START	3
WHAT'S INCLUDED IN THE TRUPEDAL BY STILLEN KIT	4
GENERAL INFORMATION	5
OVERVIEW: TRUPEDAL BY STILLEN	6
INSTALLATION & LAUNCH	7
TRUPEDAL BY STILLEN APP: PAIRING	8
INDIVIDUAL TUNING WITH PERFECTUNE FOR IOS	9
INDIVIDUAL TUNING WITH PERFECTUNE FOR ANDROID	10
COMPATIBILITY	11
MODES & SETTINGS	12
AUTO-UNLOCK FUNCTION (IMMOBILIZER)	16
SAFETY INSTRUCTIONS	17
FAQ & ANSWERS	18
TECHNICAL INFORMATION	20
WARRANTY	21
DISCLAIMER	22
MANUFACTURER'S DECLARATION	23



» QUICK START

NEVER INSTALL THE SYSTEM WHILE THE IGNITION IS ON. REMOVE THE KEY FIRST. AFTER TURNING THE IGNITION OFF, WAIT AT LEAST 5 MINUTES TO ALLOW ALL ELECTRICAL SYSTEMS TO FULLY SHUT DOWN. ON SOME VEHICLES, THE WAIT TIME MAY BE LONGER. ***WARNING: DO NOT OPEN OR CLOSE ANY DOORS DURING THIS TIME, AS THIS MAY REACTIVATE VEHICLE SYSTEMS.***

- DISCONNECT THE OEM THROTTLE CONNECTORS.
- CONNECT THE TRUPEDAL BY STILLEN CONNECTORS TO THE VEHICLE'S THROTTLE CONNECTORS.
- DOWNLOAD THE TRUPEDAL BY STILLEN APP FROM THE APPLE APP STORE (IOS) OR GOOGLE PLAY STORE (ANDROID).
- COMPLETE THE REGISTRATION PROCESS AND LOG IN.



OPEN THE APP:

- **IOS:** THE APP WILL AUTOMATICALLY SEARCH FOR THE TRUPEDAL. WHEN PROMPTED, ENTER THE 6-DIGIT PIN (FOUND ON THE TRUPEDAL STICKER).
- **ANDROID:** SELECT THE TRUPEDAL DEVICE. TAP "CONNECT AND ENTER PIN." THEN SELECT THE TRUPEDAL AND ENTER THE 6-DIGIT PIN (FOUND ON THE TRUPEDAL STICKER).
- PERFORM PERFECTUNE TO ENABLE THE IMMOBILIZER AND LIMIT MODE FEATURES.

IOS: REFER TO THE DETAILED INSTRUCTIONS STARTING ON PAGE 10.
ANDROID: REFER TO THE DETAILED INSTRUCTIONS STARTING ON PAGE 11.

» WHAT'S INCLUDED IN THE TRUPEDAL BY STILLEN KIT

- TRUPEDAL THROTTLE CONTROLLER
- ZIP TIES
- USER GUIDE: INSTALLATION & OPERATION INSTRUCTIONS



GENERAL INFORMATION

THE TRUPEDAL BY STILLEN ENHANCES THROTTLE PEDAL RESPONSE BY ALLOWING YOU TO CUSTOMIZE THROTTLE SENSITIVITY BEYOND THE FACTORY SETTINGS.

PLEASE READ AND UNDERSTAND THESE INSTRUCTIONS BEFORE INSTALLATION AND OPERATION. PROFESSIONAL INSTALLATION IS RECOMMENDED.

IMPORTANT SAFETY INFORMATION

- ONLY USE THE TRUPEDAL BY STILLEN ON THE SPECIFIED VEHICLE APPLICATION.
- NEVER INSTALL THE UNIT WITH THE IGNITION ON. REMOVE THE KEY AND WAIT AT LEAST 5 MINUTES AFTER TURNING THE VEHICLE OFF BEFORE INSTALLATION.
- ENSURE THE WIRING HARNESS IS SECURED AWAY FROM MOVING PARTS, SHARP EDGES, AND HEAT SOURCES.
- DO NOT MODIFY, LENGTHEN, OR SHORTEN THE WIRING HARNESS.
- IMPROPER INSTALLATION, UNAUTHORIZED MODIFICATIONS, OR DAMAGE CAUSED BY UNSECURED WIRING MAY RESULT IN SYSTEM MALFUNCTION AND VOID THE MANUFACTURER'S WARRANTY.

FOLLOWING THESE GUIDELINES WILL HELP ENSURE SAFE OPERATION AND LONG-TERM RELIABILITY OF YOUR TRUPEDAL BY STILLEN.


⚠ PLEASE READ THE SAFETY INSTRUCTIONS ON PAGE 17

» OVERVIEW: TRUPEDAL BY STILLEN

1. EYELETS FOR ZIP TIES
2. PROGRAM LED
3. CONNECTORS
4. PART NUMBER
5. PIN/SERIAL NUMBER

_ _ _ _ _ _


IMPORTANT: WRITE DOWN YOUR TRUPEDAL BY STILLEN PIN/SERIAL NUMBER AND KEEP IT FOR FUTURE REFERENCE. THIS NUMBER MAY BE REQUIRED FOR WARRANTY SUPPORT, TROUBLESHOOTING, OR DEVICE RESET PROCEDURES.



» INSTALLATION AND LAUNCH

NEVER INSTALL THE SYSTEM WITH THE IGNITION TURNED ON. REMOVE THE IGNITION KEY. AFTER SWITCHING OFF THE IGNITION, WAIT AT LEAST 5 MINUTES FOR ALL ELECTRICAL SYSTEMS TO POWER DOWN. **NOTE:** SOME VEHICLES MAY REQUIRE ADDITIONAL TIME—UP TO 15 MINUTES—BEFORE ALL POWER CONSUMERS SHUT OFF COMPLETELY.

CAUTION: OPENING OR CLOSING AMY VEHICLE DOORS MAY REACTIVATE CERTAIN SYSTEMS AND SHOULD BE STRICTLY AVOIDED DURING INSTALLATION.



1. DISCONNECT THE FACTORY THROTTLE CONNECTORS AND INSTALL THE TRUPEDAL BY STILLEN INLINE BETWEEN THE ORIGINAL CONNECTORS.
2. DOWNLOAD THE TRUPEDAL BY STILLEN APP FROM THE APPLE APP STORE (IOS) OR GOOGLE PLAY STORE (ANDROID), THEN REGISTER AND LOG IN.
3. OPEN THE APP AND CONNECT TO YOUR TRUPEDAL BY STILLEN USING THE 6-DIGIT PIN LOCATED ON THE PRODUCT STICKER.
4. COMPLETE THE PERFECTUNE PROCESS TO ENABLE IMMOBILIZER AND LIMIT MODE FEATURES.

⚠ PLEASE READ THE SAFETY INSTRUCTIONS ON PAGE 17

TRUPEDAL BY STILLEN APP: PAIRING

THE TRUPEDAL BY STILLEN FEATURES A MODERN SMARTPHONE INTERFACE THAT ALLOWS ALL SYSTEM FUNCTIONS TO BE CONTROLLED THROUGH THE MOBILE APP. TO PAIR THE TRUPEDAL BY STILLEN WITH YOUR APPLE IPHONE OR ANDROID DEVICE, FOLLOW THE STEPS BELOW.



APPLE IPHONE

1. DOWNLOAD THE TRUPEDAL BY STILLEN APP FROM THE APPLE APP STORE, THEN REGISTER AND LOG IN.
2. TURN THE IGNITION ON (ENGINE OFF) TO POWER THE TRUPEDAL BY STILLEN.
3. OPEN THE APP AND FOLLOW THE ON-SCREEN INSTRUCTIONS. YOUR IPHONE WILL AUTOMATICALLY SEARCH FOR THE DEVICE.
4. IF PROMPTED, ENTER THE 6-DIGIT PIN/SERIAL NUMBER LOCATED ON THE TRUPEDAL BY STILLEN LABEL.

ANDROID

1. DOWNLOAD THE TRUPEDAL BY STILLEN APP FROM THE GOOGLE PLAY STORE, THEN REGISTER AND LOG IN.
2. TURN THE IGNITION ON (ENGINE OFF) TO POWER THE TRUPEDAL BY STILLEN. THE STATUS LED WILL INDICATE THE DEVICE IS ACTIVE.
3. OPEN THE APP AND SELECT TRUPEDAL BY STILLEN FROM THE DEVICE LIST.
4. TAP “CONNECT AND ENTER PIN,” THEN FOLLOW THE PROMPTS TO COMPLETE PAIRING.
5. IF PROMPTED, ENTER THE 6-DIGIT PIN/SERIAL NUMBER LOCATED ON THE BACK OF THE UNIT BELOW THE BARCODE.

IF YOU HAVE QUESTIONS ABOUT BLUETOOTH PAIRING FOR YOUR SPECIFIC SMARLTPHONE, PLEASE REFER TO YOUR DEVICE MANUFACTURER’S MANUAL OR CONTACT THEIR SUPPORT.


» INDIVIDUAL TUNING WITH PERFECTUNE FOR IOS

PERFECTUNE SETUP

1. SWITCH ON THE IGNITION, BUT KEEP THE ENGINE TURNED OFF.
2. OPEN THE TRUPEDAL BY STILLEN APP AND GO TO SETTINGS.
3. TAP THE PERFECTUNE OPTION. THEN PRESS START TO BEGIN THE CALIBRATION.
4. SLOWLY PRESS THE ACCELERATOR PEDAL FROM THE NEUTRAL POSITION ALL THE WAY TO FULL THROTTLE.
   - ON VEHICLES WITH AN AUTOMATIC TRANSMISSION, YOU MAY FEEL SLIGHT RESISTANCE NEAR THE END OF THE PEDAL TRAVEL (KICK-DOWN). THIS IS NORMAL.
5. RELEASE THE PEDAL BACK TO THE NEUTRAL POSITION.
   - YOU MAY REPEAT THIS MOTION SEVERAL TIMES SO THE SYSTEM CAN MEASURE THE PEDAL TRAVEL ACCURATELY.
   - THE PERFORMANCE LEVEL BAR WILL DISPLAY YOUR CURRENT PEDAL POSITION.
6. WHEN FINISHED, TAP STOP TO SAVE THE CALIBRATION. THE TRUPEDAL BY STILLEN WILL THEN RETURN TO NORMAL OPERATION, AND THE APP WILL SHOW YOUR ACTIVE DRIVING PROGRAM.

YOUR TRUPEDAL BY STILLEN IS NOW PERFECTLY CALIBRATED TO YOUR VEHICLE'S ACCELERATOR PEDAL.

NOTE: PERFECTUNE MUST BE COMPLETED ONCE BEFORE THE IMMOBILIZER AND LIMIT MODE CAN BE USED.



⚠ PLEASE READ THE SAFETY INSTRUCTIONS ON PAGE 17


INDIVIDUAL TUNING WITH PERFECTUNE FOR ANDROID

PERFECTUNE SETUP

1. SWITCH ON THE IGNITION, BUT KEEP THE ENGINE TURNED OFF.
2. OPEN THE TRUPEDAL BY STILLEN APP AND GO TO THE SETTINGS SECTION.
3. SELECT PRO FUCTIONS, THEN CHOOSE PERFECTUNE.
4. START THE PERFECTUNE PROCESS BY TAPPING START.
5. SLOWLY PRESS THE ACCELERATOR PEDAL FROM THE NEUTRAL POSITION ALL THE WAY TO FULL THROTTLE.
   - ON VEHICLES WITH AN AUTOMATIC TRANSMISSION, YOU MAY FEEL SLIGHT RESISTANCE NEAR THE END OF THE PEDAL TRAVEL (KICK-DOWN). THIS IS NORMAL.
6. RELEASE THE PEDAL BACK TO NEUTRAL.
   - YOU CAN REPEAT THIS MOVEMENT SEVERAL TIMES TO ALLOW THE SYSTEM TO MEASURE THE PEDAL RANGE ACCURATELY.
   - THE PERFORMANCE LEVEL INDICATOR WILL SHOW THE EXACT PEDAL POSITION.
7. WHEN FINISHED, TAP STOP TO SAVE YOUR CALIBRATION. THE TRUPEDAL BY STILLEN WILL RETURN TO NORMAL OPERATION AND THE APP WILL DISPLAY YOUR CURRENT DRIVING PROGRAM.

YOUR TRUPEDAL BY STILLEN IS NOW PERFECTLY CALIBRATED TO YOUR VEHICLE'S ACCELERATOR PEDAL.

NOTE: PERFECTUNE MUST BE COMPLETED ONCE BEFORE THE IMMOBILIZER AND LIMIT MODE FEATURES CAN BE USED.



⚠ PLEASE READ THE SAFETY INSTRUCTIONS ON PAGE 17

» COMPATIBILITY

THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER IS COMPATIBLE WITH:

- **APPLE IPHONES** (IPHONE 8 OR NEWER) RUNNING **IOS 16 OR HIGHER**
- **ANDROID SMARTPHONES** RUNNING **ANDROID 10.0 OR HIGHER** WITH BLUETOOTH ENABLED

FOR THE BEST EXPERIENCE, WE RECOMMEND ALWAYS USING THE **LATEST AVAILABLE VERSION** OF YOUR DEVICE'S OPERATING SYSTEM. OLDER SOFTWARE MAY CAUSE LIMITED COMPATIBILITY WITH BLUETOOTH FEATURES. PLEASE ALSO REVIEW ANY APP NOTES WITHIN THE TRUPEDAL BY STILLEN APP LISTING IN THE APPLE APP STORE OR GOOGLE PLAY STORE.

THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER INCLUDES A **HIGH-PERFORMANCE, CERTIFIED BLUETOOTH MODULE** DESIGNED TO PROVIDE A STRONG AND STABLE CONNECTION. IN RARE CASES, STRONG NEARBY BLUETOOTH TRANSMITTERS MAY TEMPORARILY DISRUPT COMMUNICATION WITH THE SMARTPHONE APP. THIS DOES **NOT** AFFECT THE ACTUAL OPERATION OR SAFETY OF THE TRUPEDAL BY STILLEN DEVICE AND DOES **NOT** INDICATE A DEFECT.

LEGAL NOTICE

USING A SMARTPHONE WHILE DRIVING IS PROHIBITED OR RESTRICTED IN MANY REGIONS. ALWAYS FOLLOW THE LAWS AND REGULATIONS THAT APPLY IN YOUR AREA.

FOR SAFE USE, WE RECOMMEND MOUNTING YOUR SMARTPHONE IN A **SECURE, FIXED PHONE HOLDER** AND ADJUSTING YOUR TRUPEDAL BY STILLEN SETTINGS **BEFORE DRIVING.**

» MODES & SETTINGS

MODE SELECTION:

ECO
MODE BUTTON IS HIGHLIGHTED

CITY
MODE BUTTON IS HIGHLIGHTED


SPORT
MODE BUTTON IS HIGHLIGHTED


RACE
MODE BUTTON IS HIGHLIGHTED

STOCK
ALL PROGRAM BUTTONS ARE HIGHLIGHTED IN GREY

LIMIT MODE
THE "SPEEDOMETER" SYMBOL ON THE RIGHT LIGHTS UP YELLOW

IMMOBILIZER
THE SHIELD SYMBOL SHOWS GREEN (INACTIVE) / RED (ACTIVE)





EXAMPLE: TRUPEDAL BY STILLEN THROTTLE TUNER WITH RACE MODE IN SELECTED. THE PERFORMANCE LEVEL IS SET TO 7. THE IMMOBILIZER IS INACTIVE.

FINE ADJUSTMENT

DECREASE WITH MINUS BUTTON

INCREASE WITH PLUS BUTTON

» MODES & SETTINGS

DURING INSTALLATION AND INITIAL SETUP, THE TRUPEDAL BY STILLEN IS PRESET TO CITY MODE. AFTER EACH VEHICLE RESTART, IT AUTOMATICALLY RETURNS TO THE LAST SELECTED SETTING.

CHANGING MODES
PRESS THE MODE BUTTON TO CYCLE THROUGH THE FIVE PRESETS: ECO, CITY, SPORT, RACE, AND STOCK. USE THE MINUS (<) OR PLUS (>) BUTTON TO FINE-TUNE THE SELECTED MODE.

MODES OVERVIEW

ECO MODE
REDUCES THROTTLE SENSITIVITY TO HELP MAXIMIZE FUEL ECONOMY AND PROMOTE SMOOTHER, MORE EFFICIENT DRIVING.

CITY MODE
IMPROVES LOW-RPM THROTTLE RESPONSE FOR SMOOTHER EVERYDAY DRIVING.

SPORT MODE
SHARPENS THROTTLE RESPONSE FOR QUICKER, MORE DIRECT ACCELERATION.


RACE MODE
MAXIMIZES THROTTLE RESPONSE FOR RAPID ACCELERATION AND QUICK LAUNCHES..

STOCK MODE
RESTORES THE VEHICLE'S ORIGINAL FACTORY (OEM) THROTTLE RESPONSE SETTINGS.


» MODES & SETTINGS

LIMIT MODE
TO ACTIVATE OR DEACTIVATE **LIMIT MODE**, PRESS AND HOLD THE **"SPEEDOMETER"** SYMBOL IN THE APP FOR 3 SECONDS.


STAY IN CONTROL AND KEEP THE VEHICLE SAFE IN ALL DRIVING SITUATIONS. LIMIT MODE ALLOWS YOU TO REDUCE THROTTLE RESPONSE AND RESTRICT OVERALL VEHICLE PERFORMANCE—FOR EXAMPLE, FOR NOVICE DRIVERS OR DRIVERS UNFAMILIAR WITH THE VEHICLE. THE MAXIMUM ACCELERATOR PEDAL POSITION CAN BE ADJUSTED USING THE PLUS (>) AND MINUS (<) BUTTONS. THERE ARE **7 LEVELS**, RANGING FROM **20% TO 80%.**



20% THROTTLE PEDAL POSITION
SUITABLE FOR CITY TRAFFIC AND VALET PARKING



50% THROTTLE PEDAL POSITION



80% THROTTLE PEDAL POSITION
SUPPRESSES STRONG ACCELERATION PROCESSES

⚠ **PLEASE READ THE SAFETY INSTRUCTIONS ON PAGE 17**

» MODES & SETTINGS

IMMOBILIZER

HOW IT WORKS
THE IMMOBILIZER FEATURE ON THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER ADDS AN EXTRA LAYER OF THEFT PROTECTION BY ELECTRONICALLY DISABLING THE ACCELERATOR PEDAL. EVEN IF A THIEF BYPASSES THE KEY, UNLOCKS THE VEHICLE, AND STARTS THE ENGINE USING METHODS SUCH AS KEYLESS GO EXPLOITS, BRIDGING ATTACKS, OR CAN BUS HACKING, THE VEHICLE CANNOT ACCELERATE AND CANNOT BE DRIVEN AWAY.

OPERATION
TAP THE SHIELD ICON IN THE APP TO ENABLE OR DISABLE THE IMMOBILIZER. WHEN ACTIVATED, THE SHIELD ICON ILLUMINATES SOLID RED. WHEN DEACTIVATED, THE SHIELD ICON ILLUMINATES SOLID GREEN.

AUTO-UNLOCK & OPERATION
WHEN THE IMMOBILIZER IS ACTIVE, THE ACCELERATOR REMAINS BLOCKED UNTIL AN AUTHORIZED SMARTPHONE IS DETECTED WITHIN BLUETOOTH RANGE USING THE AUTO-UNLOCK FEATURE. ONCE CONNECTED, THE SHIELD ICON BRIEFLY FLASHES GREEN AND THE THROTTLE IS RELEASED.

THE IMMOBILIZER DOES NOT NEED TO BE MANUALLY TURNED OFF. IF IT REMAINS ENABLED, THE ACCELERATOR WILL AUTOMATICALLY BE BLOCKED AGAIN THE NEXT TIME THE VEHICLE IS PARKED AND RESTARTED.

NOTE: THROTTLE BLOCKING ONLY ACTIVATES AFTER THE IGNITION IS TURNED OFF AND THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER NO LONGER RECEIVES POWER. DEPENDING ON THE VEHICLE, THIS MAY TAKE A FEW MINUTES.



DEACTIVATED



ACTIVATED

AUTO-UNLOCK FUNCTION (IMMOBILIZER)

AUTO-UNLOCK AUTOMATICALLY DISABLES THE IMMOBILIZER WHEN YOUR AUTHORIZED SMARTPHONE IS CONNECTED TO YOUR VEHICLE VIA BLUETOOTH (HANDS-FREE OR ANDROID AUTO), THE TRUPEDAL RECEIVES POWER, AND YOUR PHONE IS WITHIN BLUETOOTH RANGE. ONCE ENABLED, THE IMMOBILIZER IS AUTOMATICALLY RELEASED WHEN YOU ENTER AND START YOUR VEHICLE, ELIMINATING THE NEED TO MANUALLY UNLOCK IT IN THE APP.

SETTING UP AUTO-UNLOCK (IOS)

1. OPEN THE TRUPEDAL BY STILLEN APP.
2. GO TO SETTINGS.
3. SELECT AUTO-UNLOCK.
4. TAP ACTIVATE AUTO-UNLOCK TO ENABLE THE FEATURE.
   - WHEN ACTIVE, THE BUTTON WILL BE HIGHLIGHTED IN GREEN.

SETTING UP AUTO-UNLOCK (ANDROID)

1. OPEN THE TRUPEDAL BY STILLEN APP.
2. GO TO SETTINGS.
3. SELECT TRUPEDAL BY STILLEN.
4. CHOOSE YOUR VEHICLE FROM THE LIST
   - A CHECK MARK NEXT TO THE VEHICLE NAME CONFIRMS SUCCESSFUL SELECTION.
   - A SMALL KEY ICON IN THE STATUS BAR AND A STATUS MESSAGE WILL APPEAR WHEN AUTO-UNLOCK IS ACTIVE.

ADDITIONAL INFORMATION

WHEN AUTO-UNLOCK RELEASES THE IMMOBILIZER, A CONFIRMATION MESSAGE APPEARS ON YOUR SMARTPHONE AND THE SHIELD ICON BRIEFLY FLASHES GREEN. IF AUTO-UNLOCK DOES NOT ACTIVATE, OPEN THE APP OR BRING IT TO THE FOREGROUND TO ESTABLISH A CONNECTION.

IF THE THROTTLE REMAINS BLOCKED, TAP THE SHIELD ICON TO DISABLE THE IMMOBILIZER (GREEN), THEN TAP IT AGAIN TO REACTIVATE IT (RED).

NOTE: AUTO-UNLOCK MAY NOT FUNCTION IF THE TRUPEDAL BY STILLEN APP HAS BEEN FULLY CLOSED.

⚠ PLEASE READ THE SAFETY INSTRUCTIONS ON PAGE 17

» SAFETY INSTRUCTIONS

PLEASE READ CAREFULLY BEFORE INSTALLATION OR USE.

- **PROFESSIONAL INSTALLATION RECOMMENDED.** WE STRONGLY RECOMMEND HAVING THE TRUPEDAL BY STILLEN INSTALLED BY A QUALIFIED WORKSHOP OR TECHNICIAN.
- **NEVER INSTALL WITH THE IGNITION ON.** SWITCH OFF THE IGNITION, REMOVE THE KEY, AND WAIT **AT LEAST 5 MINUTES** FOR ALL ELECTRICAL SYSTEMS TO SHUT DOWN. SOME VEHICLES MAY REQUIRE **UP TO 15 MINUTES.**
- **AVOID OPENING OR CLOSING VEHICLE DOORS** DURING THE WAITING PERIOD, AS THIS CAN REACTIVATE ELECTRICAL SYSTEMS.
- **SECURE ALL CABLES.** ENSURE WIRING IS ROUTED SO IT CANNOT INTERFERE WITH PEDAL OPERATION. FASTEN CABLES UNDER TRIM PANELS USING CABLE TIES IF NEEDED.
- **ADJUST SETTINGS ONLY WHILE STATIONARY.** CHANGE TRUPEDAL SETTINGS ONLY WHEN THE VEHICLE IS STOPPED AND THE ENGINE IS IDLING. AFTER ADJUSTING, GENTLY PRESS THE ACCELERATOR TO GET USED TO THE NEW SENSITIVITY.
- **DO NOT START PERFECTUNE WHILE DRIVING.**
- **MAKE SMALL ADJUSTMENTS.** THROTTLE RESPONSE VARIES BY VEHICLE, SO INCREASE OR DECREASE SENSITIVITY GRADUALLY (+1 OR −1).
- **USE LIMIT MODE ONLY WHEN PARKED.** ACTIVATE LIMIT MODE WHILE THE VEHICLE IS STATIONARY AND PRACTICE USING IT IN A SAFE, CONTROLLED ENVIRONMENT.
- **CHECK THE IMMOBILIZER BEFORE DRIVING.** ENSURE THE IMMOBILIZER IS UNLOCKED BEFORE STARTING YOUR TRIP.
- **ALWAYS REMAIN AWARE OF ROAD CONDITIONS AND TRAFFIC.**
- **FOR QUESTIONS OR CONCERNS,** CONTACT YOUR AUTHORIZED STILLEN DEALER OR INSTALLER.



FAQ & ANSWERS

FAQ	ANSWER
THE LED DOES NOT LIGHT UP.	CHECK THAT ALL CONNECTIONS ARE SECURE, THE ADAPTER PLUGS ARE FULLY ENGAGED, AND THE TRUPEDAL BY STILLEN MODULE IS SWITCHED ON. TURN THE IGNITION ON OR START THE ENGINE. IF THE MODULE LED STILL DOES NOT ILLUMINATE, CONTACT CUSTOMER SERVICE.
THE CAR DOESN'T RUN SMOOTHLY.	CHECK THAT ALL CONNECTIONS ARE SECURE AND THE CONNECTORS ARE PROPERLY INSTALLED. VERIFY THAT A DIFFERENT MODE HAS BEEN SELECTED AND THAT THE THROTTLE RESPONSE SETTING HAS BEEN INCREASED OR DECREASED.
THE EML LIGHT IS SHOWN OR THE VEHICLE GOES INTO LIMP MODE.	ENSURE THE MODULE CONNECTORS ARE FULLY ENGAGED. IF THE CHECK ENGINE LIGHT APPEARS, LOWER THE THROTTLE SETTING USING THE MINUS (<) BUTTON OR SWITCH TO CITY MODE.
ENGINE LIGHT SHOWS UP.	REDUCE THE MODE BY PRESSING THE MINUS BUTTON (<).
THERE IS NO NOTICEABLE INCREASE IN PERFORMANCE.	INCREASE THE THROTTLE SETTING USING THE PLUS (>) BUTTON OR SWITCH TO THE NEXT HIGHER MODE.
HOW DO I RETURN TO DEFAULT THROTTLE SETTING?	THE STOCK MODE SETS THE VEHICLE TO DEFAULT SETTING. TURN OFF THE IGNITION WHEN REMOVING THE TRUPEDAL BY STILLEN THROTTLE TUNER. WAIT UNTIL ALL ELECTRICAL CONSUMERS ARE SWITCHED OFF. REMOVE THE TRUPEDAL BY STILLEN THROTTLE TUNER AND RECONNECT THE ACCELERATOR WITH THE ORIGINAL PLUG.

» FAQ & ANSWERS

FAQ	ANSWER
HOW DO I RESET THE ENTIRE SYSTEM, FOR EXAMPLE, TO DELETE PAIRING LISTS?	**IOS:** OPEN THE APP, TAP SETTINGS, THEN SELECT DELETE BLUETOOTH PAIRINGS. CONFIRM BY TAPPING DELETE PAIRINGS. **ANDROID:** OPEN THE APP, TAP SETTINGS, THEN SELECT TRUPEDAL BY STILLEN THROTTLE CONTROLLER. TAP DELETE BLUETOOTH PAIRINGS, THEN CONFIRM BY TAPPING DELETE PAIRINGS.
OPTIONAL: HOW DO I ADD A REMOTE?	**IOS:** OPEN THE APP, TAP SETTINGS, THEN SELECT SET UP NEW REMOTE. TAP ACTIVATE PAIRING MODE, THEN FOLLOW THE INSTRUCTIONS IN THE REMOTE USER MANUAL. **ANDROID:** OPEN THE APP, TAP SETTINGS, THEN SELECT TRUPEDAL BY STILLEN THROTTLE CONTROLLER. TAP SET UP NEW REMOTE, THEN ACTIVATE PAIRING MODE, AND FOLLOW THE INSTRUCTIONS IN THE REMOTE USER MANUAL.

» TECHNICAL INFORMATION

THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER IS DESIGNED TO MODIFY ACCELERATOR PEDAL RESPONSE ONLY AND DOES NOT ALTER ENGINE CALIBRATION, EXHAUST SYSTEM COMPONENTS, OR VEHICLE EMISSIONS EQUIPMENT.

THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER IS ENGINEERED TO MEET APPLICABLE ELECTRICAL SAFETY AND ELECTROMAGNETIC COMPATIBILITY (EMC) REQUIREMENTS AND HAS BEEN TESTED TO ENSURE RELIABLE OPERATION WITHOUT INTERFERING WITH THE VEHICLE'S ELECTRONIC SYSTEMS.

IF YOU HAVE QUESTIONS, CONTACT STILLEN:
TEL.: (866) 250-5542

» WARRANTY

THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER IS BACKED BY A 5-YEAR LIMITED MANUFACTURER'S WARRANTY FOR PRODUCTS PURCHASED FROM AN AUTHORIZED STILLEN DEALER.

WARRANTY SERVICE IS PROVIDED BY STILLEN IN COSTA MESA, CALIFORNIA. TO OBTAIN WARRANTY SERVICE, CUSTOMERS MUST PROVIDE THE ORIGINAL PROOF OF PURCHASE, SUCH AS THE ORIGINAL SALES RECEIPT OR INVOICE.

THIS LIMITED WARRANTY IS PROVIDED IN ADDITION TO ANY RIGHTS AND REMEDIES AVAILABLE UNDER APPLICABLE LAW.

THE WARRANTY COVERS PROVEN MATERIAL OR MANUFACTURING DEFECTS ONLY. EXCLUSIONS INCLUDE:

- COMPONENTS SUBJECT TO NORMAL WEAR AND TEAR
- DAMAGE CAUSED BY MISUSE, OPERATION OUTSIDE THE PRODUCT SPECIFICATIONS, NEGLIGENCE, ACCIDENTS, UNAUTHORIZED MODIFICATIONS, OR ABNORMAL OPERATING CONDITIONS
- DAMAGE RESULTING FROM IMPROPER INSTALLATION
- CONSEQUENTIAL, INCIDENTAL, OR INDIRECT DAMAGES OF ANY KIND

WARRANTY CLAIM PROCEDURE:

1. RETURN THE PRODUCT TO:
   STILLEN
   3176 AIRWAY AVE.
   COSTA MESA, CA 92626
2. INCLUDE A COMPLETE DESCRIPTION OF THE ERROR AND INFORMATION ABOUT THE VEHICLE INSTALLATION.
3. THE PRODUCT MUST BE RETURNED WITHIN 2 WEEKS OF DISCOVERING THE DEFECT.
   - PRODUCTS RETURNED AFTER THIS PERIOD ARE NOT ELIGIBLE FOR WARRANTY SERVICE.

» DISCLAIMER

FOR CUSTOMERS OUTSIDE THE U.S.

IMPORTANT: READ THIS INFORMATION CAREFULLY BEFORE INSTALLING THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER. THIS IS A HIGH-PERFORMANCE PRODUCT INTENDED FOR OFF-ROAD, CLOSED-COURSE, RACING, DEMONSTRATION, OR PRIVATE-PROPERTY USE WHERE PERMITTED BY LAW. BEFORE INSTALLATION AND USE, VERIFY COMPLIANCE WITH ALL APPLICABLE NATIONAL AND LOCAL REGULATIONS.

INSTALLATION AND USE OF THIS PRODUCT INDICATE THAT THE PURCHASER HAS READ, UNDERSTOOD, AND ACCEPTED THE TERMS AND CONDITIONS OUTLINED BELOW.

DISCLAIMER OF LIABILITY
THE MANUFACTURER, DISTRIBUTORS, AND DEALERS OF THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER ARE NOT RESPONSIBLE FOR DAMAGES RESULTING FROM IMPROPER INSTALLATION, MISUSE, UNAUTHORIZED MODIFICATIONS, OR OPERATION OUTSIDE THE PRODUCT'S INTENDED USE.

THE PURCHASER ACKNOWLEDGES THAT:

- PRODUCT SUITABILITY AND COMPLIANCE WITH LOCAL LAWS ARE THE PURCHASER'S RESPONSIBILITY.
- NO WARRANTIES OR LIABILITIES EXIST BEYOND THOSE EXPRESSLY PROVIDED WITH THE PRODUCT AND TO THE EXTENT PERMITTED BY APPLICABLE LAW.
- THE MANUFACTURER, DISTRIBUTORS, AND DEALERS SHALL NOT BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR INDIRECT DAMAGES ARISING FROM THE USE OF THIS PRODUCT.

IT IS THE INSTALLER'S RESPONSIBILITY TO ENSURE PROPER INSTALLATION AND SAFE OPERATION. IF YOU HAVE ANY QUESTIONS REGARDING INSTALLATION OR USE, CONTACT STILLEN BEFORE OPERATING THE PRODUCT.

MANUFACTURER'S DECLARATION

TECHNICAL INFORMATION & ENVIRONMENTAL DISPOSAL

THE TRUPEDAL BY STILLEN THROTTLE CONTROLLER IS DESIGNED AND TESTED TO MEET APPLICABLE ELECTRICAL SAFETY AND ELECTROMAGNETIC COMPATIBILITY REQUIREMENTS FOR RELIABLE INTEGRATION WITH FACTORY VEHICLE SYSTEMS.

WHERE APPLICABLE, CE AND ECE COMPLIANCE MARKINGS MAY APPEAR ON THE PRODUCT AND/OR PACKAGING TO INDICATE CONFORMITY WITH RELEVANT REGULATORY STANDARDS.

ENVIRONMENTAL DISPOSAL

THIS PRODUCT CONTAINS ELECTRONIC COMPONENTS AND SHOULD NOT BE DISPOSED OF WITH HOUSEHOLD WASTE. PLEASE DISPOSE OF RESPONSIBLY IN ACCORDANCE WITH LOCAL ELECTRONIC WASTE (E-WASTE) RECYCLING REGULATIONS TO HELP REDUCE ENVIRONMENTAL IMPACT.







TRUPEDAL
BY STILLEN

DESIGNED AND ENGINEERED
IN GERMANY AND USA

TRUPEDAL IS A QUALITY PRODUCT BY

STILLEN
3176 AIRWAY AVE.
COSTA MESA, CA 92626

TRUPEDAL AND TRUPEDAL
BY STILLEN ARE REGISTERED
TRADEMARKS OF STILLEN, USA.
ALL RIGHTS RESERVED.